

## Fairway information

Regional Water Management Authority in Gdansk provides fairway information for the Inland Waterway as of **05.09.2022 r. at 7:00 a.m.**

### 1. Hydrological and meteorological situation

Water gauge	KM	Alarm levels [cm]	Water level [cm]	Difference within 24h	Water temperature [°C]	Air temperature [°C]	Wind direction and strength [m/s]	The highest navigation level [cm]
<b>Szarpawa</b>								
Tujsk	16,8	590	510	-2	-	-	-	-
<b>Tuga</b>								
Nowy Dwór Gdański	10,7	590	509	-3	-	-	-	-
<b>Elbląg</b>								
Elbląg	-	610	512	-4	-	-	-	-
<b>Nogat</b>								
Biała Góra - WG	0,5	-	130	4	-	-	-	-
Biała Góra - WD	0,5	-	137	-1	-	-	-	-
Szonowo - WG	14,4	-	610	0	-	-	-	-
Szonowo - WD	14,4	-	464	0	-	-	-	-
Rakowiec - WG	24	-	464	4	-	-	-	-
Rakowiec - WD	24	-	160	-4	-	-	-	-
Michałowo - WG	36,6	-	160	-2	-	-	-	-
Michałowo - WD	36,6	-	508	-4	-	-	-	-
<b>Elbląg Canal</b>								
Całuny - WD	46,3	-	510	-17	-	-	-	-
Buczyniec - WG	36,6	-	874	-2	-	-	-	-
<b>Vistula at km 830,0 – 942,3</b>								
Grudziądz	834,95	650	174	+4	-	11,9	125° / 0,9	-
Tczew	908,65	820	268	+13	-	14,0	-	-
Gdańska Głowa	931,20	810	502	-4	-	-	-	-
Przegalina	936,0	700	504	-3	-	-	-	-
Świbno	939,0	680	498	-3	22,2	6,3	90° / 08	-
Ujście	941,0	680	508	-4	-	-	-	-

Water gauge	KM	Alarm levels [cm]	Water level [cm]	Difference within 24h	Water temperature [°C]	Air temperature [°C]	Wind direction and strength [m/s]	The highest navigation level [cm]
<b>Vistula at km 680 - 830</b>								
Włocławek	679,4	650	110	-8	-	-	-	-
Toruń	734,7	650	137	-4	21,1	6,5	-	-
Fordon	774,9	650	137	+3	-	-	-	-
Chełmno	806,8	630	176	+8	-	-	-	-
<b>Elbląg Canal</b>								
Ostróda - WG	15,161	620	617	0	-	-	-	-
Ostróda - WD	15,219	460	445	0	-	-	-	-
Mała Ruś - WG	19,23	771	772	0	-	-	-	-
Mała Ruś - WD	19,282	620	619	0	-	-	-	-
Miłomłyn- WG	0,051	910	894	0	-	-	-	-
Miłomłyn -WD	0,133	610	611	+1	-	-	-	-
Zielona - WG	4,61	616	610	+2	-	-	-	-
Zielona - WD	4,656	453	439	0	-	-	-	-
Iława	32,377	940	899	0	21,5	-	-	-
<b>Brda – the Vistula-Oder waterway at km 0+000 - 14+800</b>								
Czersko Polskie Lock – lower position	1+400	150 / 740	138	-1				740
Czersko Polskie Lock – upper position	1+400	207 / 253	220	-1				253
urban Lock No 2 – lower position	12+400	222 / 333	288	-2				333
urban Lock No 2 – upper position	12+400	533 / 642	588	0				642

Source: hydrological data from the Institute of Meteorology and Water Management and current water levels at PGW WP facilities.

For information about current water levels please visit the page: [www.meteo.imgw.pl](http://www.meteo.imgw.pl)

## 2. Navigational situation

### Fairway condition

Section	KM	Status	Depth measurement /2022/		Current state	
			Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
Szarpawa	25,4	Otwarty	521	230	510	219
Wisła Królewiecka	11,9	Otwarty	510	160	510	160
Tuga	11,9	Zamknięty	-	-	-	-
Nogat (62,0 km)	0,400-14,500	Otwarty (ograniczenia)	200	190	137	127
	14,500-24,000	Otwarty	470	190	464	184
	24,000-38,600	Otwarty (ograniczenia)	202	180	160	138
	38,600-62,000	Otwarty (ograniczenia)	534	180	508	154
Jagiellonian Canal	4,7	Otwarty (ograniczenia)	522	210	508	196
river Elbląg, lake Drużno, Elbląg Canal to Całuny ramp	0,000-3,900 0,000-7,400 46,300-52,000	Otwarty (ograniczenia)	532	150	510	128
The Elbląg Canal system above the Buczyniec ramp in the direction of Miłomłyn	-	Otwarty (ograniczenia)	905	160	874	129
Vistula	830,0-867,0	Open	215	80	174	39
Vistula	867,0-886,0	Open	202	80	175	53
Vistula	886,0-909,0	Open	160	116	130	86
Vistula	909,0-942,3	Open	324	170	268	114
Martwa Wisła Vb	0+000 – 11+500	Open	515	400	493	378

Section	KM	Status	Depth measurement		Current state	
			Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
			Depth measurement 13.08.2022		WZ Toruń	
Vistula	680,0 – 718,0	Open	131	25	137	30
			Depth measurement 13.08.2022		WZ Toruń	
Vistula	718 - 771,4	Open	131	60	137	65
			dnia 16.08.2022 r.		WZ Chełmno	
			Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
Vistula	771,4 - 830,0	Open	166	70	176	80
Elbląg Canal – all sections	-	Open	Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
			-	-	-	110-120
			Depth measurement 25-26.04.2022 r.		Current state	
			Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
Brda	0+000 – 1+400	Open	292/224/227	150	j/w	140
Brda	1+400 – 9+300	Open	292/224/227	150	j/w	190
Brda	9+300 - 14+800	Open	228/590/276	160	j/w	190

#### Lock status

Name	KM	Status	Opening hours
Szkarpawa			
Gdańska Głowa	0,120	Available	7 AM – 7 PM Monday - Sunday
Nogat			
Biała Góra	0,400	Available	9 AM – 5 PM Monday – Friday 7 AM – 7 PM Saturday-Sunday, Holidays
Szonowo	14,500	Available	9 AM – 5 PM Monday – Friday 7 AM – 7 PM Saturday-Sunday, Holidays
Rakowiec	24,000	Available	9 AM – 5 PM Monday – Friday 7 AM – 7 PM Saturday-Sunday, Holidays
Michałowo	38,600	Available	9 AM – 5 PM Monday – Friday 7 AM – 7 PM Saturday-Sunday, Holidays

Elbląg Canal			
Name	KM	Status	Opening hours
Buczyniec	35,000	Available	8 AM – 7 PM Monday - Sunday
Kąty	38,700	Available	8 AM – 7 PM Monday - Sunday
Oleśnica	41,700	Available	8 AM – 7 PM Monday - Sunday
Jelenie	43,800	Available	8 AM – 7 PM Monday - Sunday
Całuny	45,800	Available	8 AM – 7 PM Monday - Sunday
Martwa Wisła River			
Przegalina Południowa	0+550	Available	7 AM – 7 PM Monday - Friday
Szarpawa			
Gdańska Głowa	0+250	Available	7 AM – 7 PM Monday - Friday
Elbląg Canal			
Miłomłyn	0,086	Available	9 AM – 7 PM Monday - Sunday
Ostróda	15,188	Available	9 AM – 7 PM Monday - Sunday
Mała Ruś	19,233	Available	9 AM – 7 PM Monday - Sunday
Zielona	4,63	Available	9 AM – 7 PM Monday - Sunday
Brda			
Czersko Polskie Lock	1+400	Closed	<del>7 AM – 3 PM Monday - Sunday</del>
Urban Lock No 2	12+400	Available	7 AM – 7 PM Monday - Sunday

### 3. Notices to skippers

#### River Basin Management in Elbląg

Szarpawa River - class II waterway (min. fairway depth in accordance with the regulation 1.8 m)

The waterway is marked with signs.

Fairway depths meet the waterway class requirements.

Noqat River - class II waterway (min. fairway depth in accordance with the regulation 1.8 m)

The waterway is marked with signs.

- **At km 0+600 of the waterway, i.e. below the Biała Góra lock towards the Vistula Lagoon, at the length of 30 m, there is a depth restriction of 127 cm with the water level of 137 cm at the water gauge located at the lower station of the Biała Góra lock.**
- **At km 24+500 and 30+800 of the waterway, i.e. below the Rakowiec lock towards the Vistula Lagoon, at the length of 30 m, there is a depth restriction of 138 cm with the water level of 160 cm at the water gauge located at the lower station of the Rakowiec lock.**
- **At the waterway km 39+000 i.e. below the Michałowo lock towards the Vistula Lagoon, at the length of 20 m, there is a depth restriction of 154 cm with the water level of 508 cm at the water gauge located at the lower station of the Michałowo lock.**

Wisła Królewiecka River - class Ia waterway (min. fairway depth in accordance with the regulation 1.2 m)

The waterway is marked with signs.

Fairway depths meet the waterway class requirements.

Tuga River - class Ia waterway (min. fairway depth in accordance with the regulation 1.2 m)

The waterway on the Tuga River will be opened after all the activities aimed to ensure safe and efficient navigation are completed. The opening of the waterway will be announced in a separate notice.

The Jagiellonian Canal - class II canal (min. water depth in accordance with the regulation 2.2 m)

The waterway is marked with signs.

- **At km 3+300 of the waterway, at the length of 20 m, there is a depth restriction of 196 cm with the water level of 508 cm at the water gauge located at the lower station of the Michałowo lock.**

Elbląg Canal (km 46+300-52+00) class Ia (min. water depth in accordance with the regulation 1.5 m), Drużno lake class Ia (min. water depth in accordance with the regulation 1.2 m), Elbląg River (0+000-3+900) class Ia (minimum water depth in accordance with the regulation 1.2 m),

The waterway is marked with signs.

- **At km 46+500 of the Elbląg Canal and at km 1+200 of Drużno lake, at the length of 10 and 30 m respectively, there is a depth restriction of 128 cm with the water level of 510 cm at the water gauge located at the lower station of Całuny ramp.**

Elbląg Canal (km 0+450+36+600) class Ia (min. water depth in accordance with the regulation 1.5 m), Pniewo lake, Sambród lake, Ruda Woda lake, Bartązek lake, Ilińsk lake: class II (fairway depth in accordance with the regulation 1.8 m), Bartnicki Canal (0+000-1+000) class (min. water depth in accordance with the regulation 1.5 m),

The waterway is marked with signs.

- **At km 21+200 and 32+100 of the waterway, i.e. below Ruda Woda lake, towards Buczyniec, at lengths of 10 m and 20 m respectively, there is a depth restriction of 129 cm with the water level of 874 cm at the water gauge located at the upper station of the Buczyniec ramp.**

## River Basin Management in Tczew

Vistula at km 830.0 - 942.0

from km 830 to 942.0, the navigation waterway is marked with coastal navigation signs, whose placement is adjusted on an ongoing basis.

Additionally, a red buoy has been displayed at km 940.440 at the shallowing on the right coast.

## River Basin Management in Toruń

### Vistula at km 680.0 - 830.0

From km 680 to 718, marking of the shipping route with floating signs. **Particular attention should be paid at km 682.5-683.5; 686.0-687.0; 691.0-692.0 and 709.0-710.0 due to the narrowing of the shipping route in these places to the width of 15 m and the existing stone reefs with the lowest depths.** 718 to 730 km,

the navigable route is marked with coastal navigational signs. From km 730 to km 737 floating marking - reflective. From km 737 to 830, the markings are shore navigation signs. **Additional marking with yellow buoys informs about single obstacles in the shipping route (trees and stones).** The displayed marking of the shipping route is corrected on an ongoing basis by the employees of the Technical Support Team in Toruń (km 680-772) and in Chełmno (km 772-830).

### Elbląg Canal

Floating signs were displayed. All locks are operational, and it is possible to clear them during the working hours from 9 a.m. to 7 p.m. Waterways are clear.

## River Basin Management in Chojnice

### Brda at km 0+000 - 14+800.

Czersko Polskie lock - no possible of clearance due to too low water level on the lower stand.

Urban lock No. 2 - operational - possibility of clearance at set times.

Fairway Information has been prepared on the basis of up-to-date own data.

Additionally, data from the state hydrological and meteorological service Institute of Meteorology and Water Management – State Research Institute was used.