

Fairway information

Regional Water Management Authority in Gdansk provides fairway information for the Inland Waterway as of **26.05.2023 r. at 7:00 a.m.**

1. Hydrological and meteorological situation

Water gauge	KM	Alarm levels [cm]	Water level [cm]	Difference within 24h	Water temperature [°C]	Air temperature [°C]	Wind direction and strength [m/s]	The highest navigation level [cm]
Szarpawa								
Tujsk	16,8	590	503	-5	-	-	-	-
Tuga								
Nowy Dwór Gdański	10,7	590	505	-1	-	-	-	-
Elbląg								
Elbląg	-	610	511	-3	-	-	-	-
Nogat								
Biała Góra - WG	0,5	-	347	-6	-	-	-	-
Biała Góra - WD	0,5	-	190	6	-	-	-	-
Szonowo - WG	14,4	-	658	6	-	-	-	-
Szonowo - WD	14,4	-	478	-2	-	-	-	-
Rakowiec - WG	24	-	478	0	-	-	-	-
Rakowiec - WD	24	-	226	6	-	-	-	-
Michałow - WG	36,6	-	214	4	-	-	-	-
Michałow - WD	36,6	-	524	4	-	-	-	-
Elbląg Canal								
Całuny - WD	46,3	-	502	-1	-	-	-	-
Buczyniec - WG	36,6	-	895	0	-	-	-	-
Vistula at km 830,0 – 942,3								
Grudziądz	834,95	650	396	-15	-	12,4	254° /1,5	-
Tczew	908,65	820	563	+40	-	13,0	-	-
Gdańska Głowa	931,20	810	645	+40	-	-	-	-
Przegalina	936,0	700	582	+27	-	-	-	-
Świbno	939,0	680	543	+19	18,6	13,2	280° /2,8	-
Ujście	941,0	680	b.d.	-	-	-	-	-
Sobieszewo	9,650	570	500	-4	-	-	-	-
Nowy Port	-	570	501	+5	14,2	11,9	297° /5,2	-

Water gauge	KM	Alarm levels [cm]	Water level [cm]	Difference within 24h	Water temperature [°C]	Air temperature [°C]	Wind direction and strength [m/s]	The highest navigation level [cm]
Vistula at km 680 - 830								
Włocławek	679,4	650	247	-38	-	-	-	-
Toruń	734,7	650	343	-28	18,4	10,4	-	-
Fordon	774,9	650	344	-33	-	-	-	-
Chełmno	806,8	630	385	-28	-	-	-	-
Elbląg Canal								
Ostróda - WG	15,161	620	618	-1	-	-	-	-
Ostróda - WD	15,219	460	445	-1	-	-	-	-
Mała Ruś - WG	19,23	771	779	0	-	-	-	-
Mała Ruś - WD	19,282	620	620	0	-	-	-	-
Miłomłyn- WG	0,051	910	904	-1	-	-	-	-
Miłomłyn - WD	0,133	610	610	0	-	-	-	-
Zielona - WG	4,61	616	609	0	-	-	-	-
Zielona - WD	4,656	453	440	-1	-	-	-	-
Iława	32,377	940	907	0	20,4	-	-	-
Brda – the Vistula-Oder waterway at km 0+000 - 14+800								
Czersko Polskie Lock – lower position	1+400	150 / 740	348	-36				740
Czersko Polskie Lock – upper position	1+400	207 / 253	224	-3				253
urban Lock No 2 – lower position	12+400	222 / 333	238	+4				333
urban Lock No 2 – upper position	12+400	533 / 642	580	0				642

Source: hydrological data from the Institute of Meteorology and Water Management and current water levels at PGW WP facilities.

For information about current water levels please visit the page: www.meteo.imgw.pl

2. Navigational situation

Fairway condition

Section	KM	Status	Depth measurement /2023/		Current state	
			Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
Szarpawa	25,4	Open	544	250	503	209
Wisła Królewiecka	11,9	Open	536	170	503	137
Tuga	11,9	Closed	-	-	-	-
Nogat (62,0 km)	0,400-14,500	Open	188	180	190	182
	14,500-24,000	Open	476	200	478	202
	24,000-38,600	Open	208	190	226	208
	38,600-62,000	Open (restrictions)	526	170	524	168
Jagiellonian Canal	4,7	Open (restrictions)	532	210	524	202
River Elbląg, lake Drużno, Elbląg Canal to Całuny ramp	0,000-3,900 0,000-7,400 46,300-52,000	Open (restrictions)	532	150	502	120
The Elbląg Canal system above the Buczyniec ramp in the direction of Miłomłyn	-	Open	905	160	895	150
Vistula water gauge Grudziądz	830,0-867,0	Open	298	140	396	238
Vistula water gauge Korzeniewo	867,0-886,0	Open	296	140	410	254
Vistula water gauge Biała Góra	886,0-909,0	Open	255	140	380	265
Vistula water gauge Tczew	909,0-942,3	Open	430	200	563	333
Martwa Wisła water gauge Sobieszewo	0+000 – 11+500	Open	510	380	500	370
Motława water gauge Gdańsk Nowy Port	0,00-0,85	Open	496	200	501	205

Section	KM	Status	Depth measurement		Current state	
			Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
			Depth measurement 24.05.2023 r.		WZ Toruń	
Vistula	680,0 – 718,0	Open	370	150	343	120
			Depth measurement 24.05.2023 r.		WZ Toruń	
Vistula	718 - 771,4	Open	370	150	343	120
			24.05.2023 r.		WZ Chełmno	
			Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
Vistula	771,4 - 830,0	Open	385	190	385	190
Elbląg Canal – all sections	-	Open	Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
			-	-	447	90-120
Section	KM	Status	Depth measurement 28.03.2023 r./18.04.2023 r.		Current state	
			Water level [cm]	Fairway depth [cm]	Water level – Lake Drwęckie [cm]	Fairway depth [cm]
Brda	0+000 – 1+400	Open	324/228/232	150	j/w	230
Brda	1+400 – 12+400	Open	324/228/232	150	j/w	150
Brda	12+400 – 14+800	Open	396/224/228	150	j/w	150

Name	KM	Status	Opening hours
Szkarpawa			
Gdańska Głowa	0,250	Available	7 AM – 7 PM Monday – Friday 7 AM – 7 PM Saturday-Sunday, Holidays
Nogat			
Biała Góra	0,400	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays
Szonowo	14,500	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays
Rakowiec	24,000	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays
Michałowó	38,600	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays
Elbląg Canal			
Buczyniec	35,000	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays
Kąty	38,700	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays
Oleśnica	41,700	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays
Jelenie	43,800	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays
Całuny	45,800	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays

Lock status

Name	KM	Status	Opening hours
Martwa Wisła River			
Przegalina Południowa	0+550	Available	7 AM – 7 PM Monday – Friday 7 AM – 7 PM Saturday-Sunday, Holidays
Elbląg Canal			
Miłomłyn	0,086	Available	10 AM – 7 PM Monday – Friday 10 AM – 7 PM Saturday-Sunday, Holidays
Ostróda	15,188	Available	10 AM – 7 PM Monday – Friday 10 AM – 7 PM Saturday-Sunday, Holidays
Mała Ruś	19,233	Available	10 AM – 7 PM Monday – Friday 10 AM – 7 PM Saturday-Sunday, Holidays
Zielona	4,63	Available	10 AM – 7 PM Monday – Friday 10 AM – 7 PM Saturday-Sunday, Holidays

Name	KM	Status	Opening hours
Brda			
Czersko Polskie Lock	1+400	Available	7 AM – 3 PM Monday – Friday 9 AM – 7 PM Saturday-Sunday, Holidays
Urban Lock No 2	12+400	Available	7 AM – 7 PM Monday – Friday 9 AM – 7 PM Saturday-Sunday, Holidays

3. Notices to skippers

River Basin Management in Elbląg

Szkarpawa River - class II waterway (min. fairway depth in accordance with the regulation 1.8 m)

The waterway is marked with signs.

Fairway depths meet the waterway class requirements.

Noqat River - class II waterway (min. fairway depth in accordance with the regulation 1.8 m)

The waterway is marked with signs.

- **At km 39+000 of the waterway, i.e. below the Michałowo sluice towards the Vistula Lagoon, at a length of 20 m, the depth is limited to 168 cm at the water level of 524 cm on the water gauge of the lower position of the Michałowo lock.**

Wiśła Królewiecka River - class Ia waterway (min. fairway depth in accordance with the regulation 1.2 m)

The waterway is marked with signs.

Tuga River - class Ia waterway (min. fairway depth in accordance with the regulation 1.2 m)

The waterway is closed.

The Jagiellonian Canal - class II canal (min. water depth in accordance with the regulation 2.2 m)

The The waterway is marked with signs.

- **At km 3+300 and 0+500 of the waterway, along the length of 20 m and 10 m, , there is a depth restriction of 202 cm with the water level of 524 cm at the water gauge located at the lower position of the Michałowo lock.**

Elbląg Canal (km 46+300-52+00) class Ia (min. water depth in accordance with the regulation 1.5 m),

Drużno lake class Ia (min. water depth in accordance with the regulation 1.2 m), Elbląg River (0+000-3+900) class Ia (minimum water depth in accordance with the regulation 1.2 m),

The The waterway is marked with signs.

- **At km 46+500 of the Elbląg Canal and at km 1+200 of Lake Drużno at the lengths of 10 m and 30 m, there is a depth restriction of 120 cm at the water level of 502 on the gauge located of the lower position of the Całuny slipway.**

Elbląg Canal (km 0+450+36+600) class Ia (min. water depth in accordance with the regulation 1.5 m), Pniewo lake, Sambród lake, Ruda Woda lake, Bartgżek lake, Ilińsk lake: class II (fairway depth in accordance with the regulation 1.8 m), Bartnicki Canal (0+000-1+000) class (min. water depth in accordance with the regulation 1.5 m),

The waterway is marked with signs.

River Basin Management in Tczew

Vistula at km 830.0 - 942.0

From km 830 to 942 - the navigation waterway is marked with coastal navigation signs, whose placement is adjusted on an ongoing basis.

The Motława River in the old bed at km 0+000-0+850

From May 24, 2023 the waterway is open to navigation. The transit depth is 2m, at the water level at the Gdańsk Nowy Port water gauge - 496 cm.

River Basin Management in Toruń

From km 680 to km 718 - waterway class Ib. Marking the shipping route with floating signs.

From km 718 to km 830 – class II waterway. From km 718 to km 730 the shipping route is marked with coastal navigation signs. From km 730 to km 737 - floating markings. From km 737 to km 830, the trail is marked with coastal navigation signs. The issued shore markings of the shipping route are monitored and corrected by employees of the Technical Support Team in Toruń at km 680-772 and employees of the Technical Support Team in Chełmno at km 772-830.

Elbląg Canal

Navigation markings with floating signs on the lakes and on the Elbląg Canal from Miłomłyn to Lake Jeziorak and from Miłomłyn to Lake Szeląg Wielki were set up - waterway class Ia. The Zielona, Miłomłyn, Ostróda and Mała Ruś locks are operational. Locking from 08.05.2023 from 10.00-19.00.

River Basin Management in Chojnice

Brda at km 0+000 - 14+800.

Czersko Polskie lock - operational - possibility of clearance at set times.

Urban lock No. 2 - operational - possibility of clearance at set times.

Fairway Information has been prepared on the basis of up-to-date own data. Additionally, data from the state hydrological and meteorological service Institute of Meteorology and Water Management – State Research Institute was used.