

Fairway information

Regional Water Management Authority in Gdansk provides fairway information for the Inland Waterway as of **28.07.2023 at 7:00 a.m.**

1. Hydrological and meteorological situation

Water gauge	КМ	Alarm levels [cm]	Water level [cm]	Difference within 24h	Water temperature [°C]	Air temperature [°C]	Wind direction and strength [m/s]	The highest navigation level [cm]
				Szkarpaw	va			
Tujsk	16,8	590	514	-21	-	-	-	-
Tuga								
Nowy Dwór Gdański	10,9	590	537	0	-	-	-	-
				Elbląg				
Elbląg	-	610	545	4	-	-	-	-
				Nogat				
Biała Góra - WG	0,5	-	125	-10	-	-	-	-
Biała Góra– WD	0,5	-	130	-3	-	-	-	-
Szonowo - WG	14,4	-	602	-4	-	-	-	-
Szonowo - WD	14,4	-	446	-2	-	-	-	-
Rakowiec- WG	24	-	444	-6	-	-	-	-
Rakowiec - WD	24	-	164	-2	-	-	-	-
Michałowo–WG	36,6	-	164	-2	-	-	-	-
Michałowo–WD	36,6	-	538	10	-	-	-	-
				Elbląg Car	nal			
Całuny - WD	46,3	-	532	2	-	-	-	-
Buczyniec - WG	36,6	-	877	0	-	-	-	-
			Vistu	ıla at km 830),0 – 942,3			
Grudziądz	834,95	650	182	-2	-	15,7	157° /2,5	-
Tczew	908,65	820	271	-11	-	15,0	-	-
Gdańska Głowa	931,20	810	542	+3	-	-	-	-
Przegalina	936,00	700	544	+3	-	-	-	-
Świbno	939,00	680	538	+2	21,6	18,0	170° /4,0	-
Ujście	941,00	680	542	+4	-	-	-	-
Sobieszewo	9,650	570	534	+6	-	-	-	-
Nowy Port	-	570	533	+5	18,6	17,1	-	-



Water gauge	км	Alarm levels [cm]	Water level [cm]	Difference within 24h	Water temperature [°C]	Air temperature [°C]	Wind direction and strength [m/s]	The highest navigation level [cm]
			Vist	ula at km 680) - 830			
Włocławek	679,4	650	128	-2	-	-	-	-
Toruń	734,7	650	140	0	-	-	-	-
Fordon	774,9	650	148	+10	-	-	-	-
Chełmno	806,8	630	172	+6	-	-	-	-
Elbląg Canal								
Ostróda - WG	15,161	620	599	+1	-	-	-	-
Ostróda - WD	15,219	460	429	0	-	-	-	-
Mała Ruś - WG	19,23	771	764	0	-	-	-	-
Mała Ruś - WD	19,282	620	600	0	-	-	-	-
Miłomłyn- WG	0,051	910	888	-1	-	-	-	-
Miłomłyn - WD	0,133	610	601	-2	-	-	-	-
Zielona - WG	4,61	616	600	-2	-	-	-	-
Zielona - WD	4,656	453	423	0	-	-	-	-
Iława	32,377	940	890	-1	-	-	-	-
	E	Brda – the V	/istula-Oc	der waterway	y at km 0+000	- 14+800		
Czersko Polskie Lock – lower position	1+400	150 / 740	147	+9	-	-	-	740
Czersko Polskie Lock – upper position	1+400	207 / 253	227	+2	-	-	-	253
urban Lock No 2 – lower position	12+400	222 / 333	286	0	-	-	-	333
urban Lock No 2 – upper position	12+400	533 / 642	584	+2	-	-	-	642

Source: hydrological data from the Institute of Meteorology and Water Management and current water levels at PGW WP facilities.

For information about current water levels please visit the page: <u>www.meteo.imgw.pl</u>



2. Navigational situation

Fariway condition

				asurement 23/	Curren	t state
Section	КМ	Status	Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
Szkarpawa	25,4	Open	544	250	514	220
Wisła Królewiecka	11,9	Open	536	170	514	148
Tuga	11,9	Open	510	120	537	147
	0,400-14,500	Open (restrictions)	188	180	130	122
	14,500-24,000	Open (restrictions)	476	200	446	170
Nogat (62,0 km)	24,000-38,600	Open (restrictions)	208	190	164	146
	38,600-62,000	Open	526	170	538	182
Jagiellonian Canal	4,7	Open (restrictions)	532	210	538	216
River Elblag, lake Drużno, Elbląg Canal to Całuny ramp	0,000-3,900 0,000-7,400 46,300-52,000	Open (restrictions)	532	150	532	150
The Elbląg Canal system above the Buczyniec ramp in the direction of Miłomłyn	-	Open (restrictions)	905	160	877	132
Vistula water gauge Grudziądz	830,0-867,0	Open	Depth r	neasurement - 1	.2-13.06, 20-21.0	06.2023
Grudziądz			220	90	182	52
Vistula water gauge	067 0 000 0		Depth r	neasurement - 1	2-13.06, 20-21.0	06.2023
Korzeniewo	867,0-886,0	Open	210	100	160	50
Vistula water gauge			Depth r	neasurement - 1	.2-13.06, 20-21.0	06.2023
Biała Góra	886,0-909,0	Open	544 250 514 2 536 170 514 1 510 120 537 1 188 180 130 1 188 180 130 1 208 190 164 1 526 170 538 1 532 210 538 2 532 150 532 1 905 160 877 1 220 90 182 9 210 100 160 9 210 100 160 9 160 130 126 9 160 130 126 9			
			Depth r	neasurement - 1	.2-13.06, 20-21.0	06.2023
Vistula water gauge Tczew	909,0-942,3	Open	328	140	271	83



Martwa Wisła water	0.000		[Depth measurem	nent - 05.04.202	3
gauge Sobieszewo	0+000 – 11+500	Open	510	380	534	404
Motława water gauge	0,00-0,85	00-0,85 Open		Depth measurement - 24.05.2023		
Gdańsk Nowy Port	0,00-0,83	Open	496	200	533	237

			Depth mea	surement	Curre	nt state
Section	КМ	Status	Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
			Depth measurement 19.06.2023 r.		WZ Toruń	
Vistula	680,0 - 718,0	Open	184	50	140	60
			Depth mea 19.06.2		WZ Toruń	
Vistula	718 - 771,4	Open	184	80	140	60
			19.06.2023 r. WZ Chełmno			hełmno
			Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
Vistula	771,4 - 830,0	Open	217	80	172	50
Elbląg Canal – all sections	-	Open	Water level [cm]	Fairway depth [cm]	Water level [cm]	Fairway depth [cm]
			-	-	432	80-120

Section	КМ	Status	Depth measurement 28.03.2023 r./18.04.2023 r.		Curre	nt state
			Water level [cm]	Fairway depth [cm]	Water level – Lake Drwęckie [cm]	Fairway depth [cm]
Brda	0+000 - 1+400	Open	324/228/232	150	j/w	147
Brda	1+400 - 12+400	Open	324/228/232	150	j/w	150
Brda	12+400 - 14+800	Open	396/224/228	150	j/w	150



Lock status

Name	КМ	Status	Opening hours				
			Szkarpawa				
Gdańska Głowa	0,250	Available	7 AM – 7 PM Monday – Friday 7 AM – 7 PM Saturday-Sunday, Holidays				
	Nogat						
Biała Góra	0,400	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays				
Szonowo	14,500	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays				
Rakowiec	24,000	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays				
Michałowo	38,600	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays				
		E	Ibląg Canal				
Buczyniec	35,000	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays				
Kąty	38,700	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays				
Oleśnica	41,700	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays				
Jelenie	43,800	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays				
Całuny	45,800	Available	8 AM – 7 PM Monday – Friday 8 AM – 7 PM Saturday-Sunday, Holidays				

Lock status

Name	КМ	Status	Opening hours					
	Martwa Wisła River							
Przegalina Południowa	0+550	Available	7 AM – 7 PM Monday – Friday 7 AM – 7 PM Saturday-Sunday, Holidays					
	Elbląg Canal							
Miłomłyn	Aiłomłyn 0,086		10 AM – 7 PM Monday – Friday 10 AM – 7 PM Saturday-Sunday, Holidays					
Ostróda	óda 15,188		10 AM – 7 PM Monday – Friday 10 AM – 7 PM Saturday-Sunday, Holidays					
Mała Ruś	Mała Ruś 19,233		10 AM – 7 PM Monday – Friday 10 AM – 7 PM Saturday-Sunday, Holidays					
Zielona	elona 4,63		10 AM – 7 PM Monday – Friday 10 AM – 7 PM Saturday-Sunday, Holidays					



Name	КМ	Status	Opening hours								
Brda											
Czersko Polskie	1+400	Not available	7 AM – 3 PM Monday – Friday								
Lock	1+400		Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available
Urban Lock No 2	12+400	Available	7 AM – 7 PM Monday – Friday								
Orban Lock No 2	12+400	Available	9 AM – 7 PM Saturday-Sunday, Holidays								

3. Notices to skipppers

River Basin Management in Elbląg

Szkarpawa River - class II waterway (min. fairway depth in accordance with the regulation 1.8 m)

The waterway is marked with signs.

Fairway depths meet the waterway class requirements.

Nogat River - class II waterway (min. fairway depth in accordance with the regulation 1.8 m)

The waterway is marked with signs.

- At km 0+600 of the waterway, i.e. below the Biała Góra lock in the direction of the Szonowo lock, at a length of 30 m, respectively, there is a depth limit of 122 cm at the water level of 130 cm on the water gauge of the lower position of the Biała Góra lock.
- At km 14+900 of the waterway, i.e. below the Szonowo lock in the direction of the Rakowiec lock, at a length of 30 m, respectively, there is a depth limit of 170 cm with a water level of 446 cm on the gauge staff of the lower position of the Biała Góra lock.
- At km 24+500 and 30+800 of the waterway, i.e. below the Rakowiec lock in the direction of the Michałowo lock, at the length of 30 m and 50 m, respectively, there is a depth limit of 146 cm at the water level of 164 cm on the gauge staff of the lower position of the Rakowiec lock.

<u>Wisła Królewiecka River - class Ia waterway (min. fairway depth in accordance with the regulation 1.2 m)</u> The waterway is marked with signs.

Tuga River - class la waterway (min. fairway depth in accordance with the regulation 1.2 m) The waterway is marked with signs.

The Jagiellonian Canal - class II canal (min. water depth in accordance with the regulation 2.2 m)

The waterway is marked with signs.

At km 3+300 and 0+500 of the waterway, along the length of 20 m and 10 m, , there is a depth restriction of 216 cm with the water level of 538 cm at the water gauge located at the lower position of the Michałowo lock.



<u>Elblag Canal (km 46+300-52+00) class Ia (min. water depth in accordance with the regulation 1.5 m)</u>, Drużno <u>lake class Ia (min. water depth in accordance with the regulation 1.2 m)</u>, Elbląg River (0+000-3+900) class Ia (minimum water depth in accordance with the regulation 1.2 m),

The waterway is marked with signs.

At km 46+500 of the Elbląg Canal and at km 1+200 of Lake Drużno at the lengths of 10 m and 30 m, there is a depth restriction of 150 cm at the water level of 532 on the gauge located of the lower position of the Caluny slipway.

Elblag Canal (km 0+450+36+600) class Ia (min. water depth in accordance with the regulation 1.5 m), Pniewo lake, Sambród lake, Ruda Woda lake, Bartgżek lake, Ilińsk lake: class II (fairway depth in accordance with the regulation 1.8 m), Bartnicki Canal (0+000-1+000) class (min. water depth in accordance with the regulation 1.5 m),

The waterway is marked with signs.

At km 32+100 of the Elblqg Canal, at a length of 20 m, the depth is limited to 132 cm at the water level of 877 on the gauge located of the upper position of the Buczyniec Slipway.

River Basin Management in Tczew

<u>Vistula at km 830.0 - 942.0</u>

From km 830 to 942 - the navigation waterway is marked with coastal navigation signs, whose placement is adjusted on an ongoing basis.

The Motława River in the old bed at km 0+000-0+850

From May 24, 2023 the waterway is open to navigation. The transit depth is 2m, at the water level at the Gdańsk Nowy Port water gauge - 496 cm.

<u>Vistula at km 865.0 - 868.0</u>

On July 28, 2023 an on-water event will be held consisting of placing 6 warning buoys on the water to mark

the line of the air show. The venue for the event will be the Vistula River from km 865+000 to km 868+000

from 3:00 p.m. to 9:30 p.m.

River Basin Management in Toruń

<u>From km 680 to km 718 - waterway class lb</u>. Marking the shipping route with floating signs and due to the floating oversized vessels, the shipping route is marked very widely. Therefore, when using this section of the Vistula River, special attention should be paid to the markings.

<u>From km 718 to km 830 – class II waterway</u>. From km 718 to km 730 the shipping route is marked with coastal navigation signs. From km 730 to km 737 - floating markings. From km 737 to km 830, the trail is marked with coastal navigation signs. The issued shore markings of the shipping route are monitored and corrected by



employees of the Technical Support Team in Toruń at km 680-772 and employees of the Technical Support Team in Chełmno at km 772-830.

<u>Elbląg Canal</u>

Navigational markings have been set up with floating signs on the lakes and on the Elbląg Canal from Miłomłyn to Lake Jeziorak and from Miłomłyn to Lake Szeląg Wielki - class la waterway. The Zielona, Miłomłyn, Ostróda and Mała Ruś locks are operational. Sluicing takes place from 10:00 am to 7:00 pm.

The sluicing of vessels at the **Ostróda lock** will take place on an hourly cycle in order to save water and to achieve the minimum water level of damming on Lake Pauzeńskie, which is currently 11 cm below the minimum. The current water filling from the upper threshold of the Ostroda lock is 1.03 m - information for vessels with a large draft.

Due to frequent cases of jamming of vessels in Ostróda lock, the Water Supervisor informs about the widths of the actual heads of the upper locks:

- MIŁOMŁYN lock actual width 3.60m maximum width of a vessel 3.40m
- ZIELONA lock actual width 3.55m maximum vessel width 3.35m
- OSTRÓDA lock actual width 3.20m maximum vessel width 3.00m
- MAŁA RUŚ lock actual width 3.25m maximum width of the vessel 3.00m

At the same time, we would like to inform you that due to the intensification of water shortages in the Jeziorak System, the transit depth in the Iława channel has decreased by 20 cm, which may cause difficulties in navigation. Special caution should be exercised in km 3+600 to 6+500 (before the bridge in Dębinka and the Ligowo safety gates).

Water Supervision in Ostroda informs that on June 28, 2023 there was a failure of the mechanisms driving the gates of the **Zielona lock**. Due to the situation, the sluice service is operating in emergency mode - manual operation

River Basin Management in Chojnice

<u>Brda at km 0+000 - 14+800.</u>

Czersko Polskie lock - no possible of clearance due to too low water level on the lower stand.

Urban lock No. 2 - operational - possibility of clearance at set times.

Fairway Information has been prepared on the basis of up-to-date own data. Additionally, data from the state hydrological and meteorological service Institute of Meteorology and Water Management – State Research Institute was used.